

**From:** Ann DiDonato/R3/USEPA/US  
**Sent:** 1/13/2012 1:09:57 PM  
**To:** Richard Fetzer/R3/USEPA/US@EPA  
**CC:** Stephanie Wenning/R3/USEPA/US@EPA; didonato.ann@epa.gov; heston.gerald@epa.gov; Richard Rupert/ESC/R3/USEPA/US  
**Subject:** Re: Dimock Data Review Plan

any possibility we can have them use the one that I already have instead of transposing everything?

Ann (Breslin) DiDonato  
On-Scene Coordinator  
US EPA Region III - Philadelphia  
Office 215-814-3311  
Cell 215-287-8157

From: Richard Fetzer/R3/USEPA/US  
To: Ann DiDonato/R3/USEPA/US@EPA  
Cc: Stephanie Wenning/R3/USEPA/US@EPA, didonato.ann@epa.gov, heston.gerald@epa.gov, Richard Rupert/ESC/R3/USEPA/US  
Date: 01/13/2012 07:00 PM  
Subject: Re: Dimock Data Review Plan

that sounds fine. I hope you have kept the numbering the same for the first 8.

Also, I am going to be sending you an excel spreadsheet to populate names and addresses for Techlaw to use in data review. Stay tuned (tonight or tomorrow)

Rich

Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

From: Ann DiDonato/R3/USEPA/US  
To: Stephanie Wenning/R3/USEPA/US@EPA  
Cc: Richard Fetzer/R3/USEPA/US@EPA, didonato.ann@epa.gov, heston.gerald@epa.gov, Richard Rupert/ESC/R3/USEPA/US  
Date: 01/13/2012 03:56 PM  
Subject: Re: Dimock Data Review Plan

I have started numbering the homes - I will get the sample ID's over to you later (tomorrow or later tonight Ok?) - I have the CO&A list homes numbered for use for the tox and will continue the same format (its REALLY complicated HW-1, etc - and homes that share a well I am adding an 'a' and 'b' to the numbering system).

I expect that as we add homes we can add numbers and Joanna will be keeping that safe with all the other PFE stuff when she gets back -

RF and RR is that fine with you?

Ann (Breslin) DiDonato  
On-Scene Coordinator  
US EPA Region III - Philadelphia

Office 215-814-3311  
Cell 215-287-8157